

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0 Revision: 2022-11-29

Date of compilation: 2015-03-19

SECTI	ON 1: Identification of the substance/mixture and of the	company/undertaking
1.1	Product identifier	
	Trade name	OPN-Super Multi Spray OP 50 PLUS - with PTFE
	Unique formula identifier (UFI)	949D-U5H0-3000-PCHR
	Other means of identification	
	Article number	60406
	Tariff No.	34031980
1.2	Relevant identified uses of the substance or mixture and uses advise	ed against
	Relevant identified uses	Cleaning agent Industrial use
		Professional use
		Consumer use (private households)
	Sector of use	Rustremover
	Uses advised against	Do not use for products which come into contact with foodstuffs
1.3	Details of the supplier of the safety data sheet	
	OPN-CHEMIE GmbH	
	In der Au 14	
	57290 Neunkirchen	
	www.opn-chemie.de	
	Competent person responsible for the safety data sheet	Barbara Angelika Gros-Petri
	e-mail (competent person)	baerbel.petri@opn-chemie.de
1.4	Emergency telephone number	
	Emergency information service	Poison Information Center Freiburg +49(0)761/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Hazard class and category	Hazard state- ment
2.3	Aerosols	Aerosol 1	H222,H229
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	STOT SE 3	H336
4.1C	Hazardous to the aquatic environment - chronic hazard	Aquatic Chronic 3	H412

Code	Supplemental hazard information
EUH066	Repeated exposure may cause skin dryness or cracking

Remarks

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Danger

Pictograms GHS02, GHS07

Label elements

Signal word



Hazard statements

H222	
H229	
H336	
H412	

Extremely flammable aerosol. Pressurised container: May burst if heated. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0 Revision: 2022-11-29

Date of compilation: 2015-03-19

Precautionary statements	
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing spray.
P271	Use only outdoors or in a well-ventilated area.
P312	Call a PÓISON CENTER/doctor if you feel unwell.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.
P501	Dispose of contents / container in accordance with national regulations of the disposal.
Additional labelling require	ments
EUH066	Repeated exposure may cause skin dryness or cracking.
Buildup of explosive mixtur	res possible without sufficient ventilation.

Hazardous ingredients for labelling

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics 2.3 Other hazards Results of PBT and vPvB assessment This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Mixture of substances listed below with nonhazardous additions

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Butane	CAS No 106-97-8 EC No 203-448-7	25 – < 50	Flam. Gas 1A / H220 Press. Gas L / H280	
	REACH Reg. No 01-2119474691- 32-xxxx			
Hydrocarbons, C7-C9, n-al- kanes, isoalkanes, cyclics	EC No 920-750-0 REACH Reg. No 01-2119473851- 33-xxxx	10 – < 25	Flam. Liq. 2 / H225 STOT SE 3 / H336 Aquatic Chronic 2 / H411	
Distillates (petroleum), solvent- dewaxed light paraffinic	CAS No 64742-56-9 EC No 265-159-2 REACH Reg. No 01-2119480132- 48-xxxx	10 – < 25	Asp. Tox. 1 / H304	
Propane	CAS No 74-98-6 EC No 200-827-9 REACH Reg. No 01-2119486944- 21-xxxx	10 – < 25	Flam. Gas 1A / H220 Press. Gas C / H280	

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0 Revision: 2022-11-29

Date of compilation: 2015-03-19

Name of substance	Identifier	Wt%	Classificatior GHS		Pictograms
Isobutane	CAS No 75-28-5 EC No 200-857-2 REACH Reg. No 01-2119485395- 27-xxxx	1 – < 5	Flam. Gas 1 Press. Gas		
Name of substance	Specific Con	o Limito	M Eastors	ATE	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Distillates (petroleum), solvent-dewaxed light par- affinic	-	-	2.18 ^{mg/} l/4h	Inhalation: dust/mist

3.3 Remarks

For full text of abbreviations: see SECTION 16

3.4 Regulation (EC) no. 648/2004 on detergents / Labelling for contents

Aliphatic hydrocarbons.

30 % and more.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take offi mmediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water spray. BC-powder. Unsuitable extinguishing media Water jet.

5.2 Special hazards arising from the substance or mixture In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Hazardous combustion products

Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

> In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Date of compilation: 2015-03-19

	on: 2022-11-29					Date of	compliation. 2015-03-1			
EC	TION 6: Accidental rel	ease measur	es							
1	Personal precautions, pr	otective equipm	ent and eme	rgency procedu	res					
	For non-emergency pers									
	Remove persons to safe									
	For emergency responde Wear breathing apparatu		vanours/dus	/sprav/gases						
2	Environmental precaution		vapouro/duo	opiay/gabes.						
-	Keep away from drains,		und water. R	etain contamina	ated washing water and	d dispose of it.				
3	Methods and material fo Advice on how to contain	r containment ar			J					
	Covering of drains.	·								
	Other information relating	g to spills and re	leases							
	Place in appropriate con	tainers for dispo	sal. Ventilate	e affected area.						
4	Reference to other section									
	Hazardous combustion p		ction 5. Pers	onal protective	equipment: see sectio	n 8. Incompatible mate	erials: see section 10. E			
EC	TION 7: Handling and	storage								
1	Precautions for safe han	dling								
	Recommendations									
	Measures to prevent fire			-						
	0	Use local and general ventilation. Use only in well-ventilated areas. Advice on general occupational hygiene								
	Wash hands after use. D		and smoke i	n work areas. F	emove contaminated	clothing and protective	equipment before ente			
	ing eating areas. Never or drink. Keep away from	keep food or drii	nk in the vici	nity of chemical						
.2	Conditions for safe stora Managing of associated		y incompatib	ilities						
	Storage class (LGK) 2 B									
	 Flammability hazards 									
	Do not spray on an open		gnition sourc	e. Protect from	sunlight.					
	 Consideration of other ac Packaging compatibiliti 									
	Only packagings which a		a acc to Al)R) may be use	d					
3	Specific end use(s)		g. doo. to Al		u.					
.3	No further relevant inforr	nation available								
				-						
.1	TION 8: Exposure con Control parameters	trois/persona	i protectio	11						
1	National limit values									
	This information is not available.									
		Relevant DNELs/DMELs/PNECs and other threshold levels								
	Relevant DNELs of components of the mixture									
	Relevant DNELs of cor	mponents of the	mixture							
	Name of sub-	CAS No	End-	Threshol	Protection	Used in	Exposure time			
	stance		point	d level	goal, route of exposure					
				0.005	•	Morten (induction)	Obronia anti-			
	Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics		DNEL	2,035 mg/ m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects			

Chronic - systemic effects

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

DNEL

773 mg/kg bw/day

Human, dermal

Worker (industry)

Version number: 5.0

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0 Revision: 2022-11-29

Date of compilation: 2015-03-19

Revisi	on: 2022-11-29	
8.2	oughly after handling. Respiratory protection	protection (barrier creams/ointments) is recommended. Wash hands thor- In case of inadequate ventilation wear respiratory protection. Type: A-P2
	Use appropriate container to avoid environmental contaminat	tion. Reep away from drains, surface and ground water.
SEC	TION 9: Physical and chemical properties	
9.1	Information on basic physical and chemical properties Physical state Colour Odour Initial boiling point and boiling range Flammability (solid, gas) Explosive limits Flash point Water solubility	Aerosol (Spray aerosol) Yellowish brown Product specific Not applicable, as aerosol.* flammable aerosol in accordance with GHS criteria 0.6 vol% - 15 vol% Not applicable, as aerosol.* Insoluble
	Vapour pressure	3.8 bar at 20 °C 6.8 bar
	Density	0.65 ^{g/} ml at 20 °C

9.2 Other information

Other safety characteristics

* The finished mixture in an aerosol container is formed after addition of propellant. Several details are not measurable in an hermetic closed, pressurized container.

SECTION 10: Stability and reactivity

10.1 Reactivity

> Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

- 10.2 Chemical stability See below "Conditions to avoid".
- 10.3 Possibility of hazardous reactions No known hazardous reactions.
- 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat. Hints to prevent fire or explosion Protect from sunlight. Physical stresses which might result in a hazardous situation and have to be avoided High temperatures. 10.5 Incompatible materials

Oxidisers.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0

Revision: 2022-11-29

Date of compilation: 2015-03-19

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Distillates (petroleum), solvent-dewaxed light par- affinic	64742-56-9	Inhalation: dust/mist	2.18 ^{mg/} l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

· Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

· Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK (Germany) 2, obviously hazardous to water

Aquatic toxicity (chronic) of components of the mixture									
Name of substance	CAS No	Value	Species	Exposure time					
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		EL50	1.6 ^{mg/}	Aquatic invertebrates	21 d				

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0 Revision: 2022-11-29

Date of compilation: 2015-03-19

Aquatic toxicity (chronic) c	Aquatic toxicity (chronic) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		EC50	0.23 ^{mg/} l	Aquatic invertebrates	21 d		

12.2 Persistence and degradability

Degradability of components of the mixture						
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C7-C9, n-al- kanes, isoalkanes, cyc- lics		Oxygen deple- tion	83 %	16 d		ECHA

12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Butane	106-97-8		1.09 (pH value: 7, 20 °C)	
Propane	74-98-6		1.09 (pH value: 7, 20 °C)	
Isobutane	75-28-5		1.09 (pH value: 7, 20 °C)	

12.4 Mobility in soil

Data are not available.

- 12.5 Results of PBT and vPvB assessment Data are not available.
- 12.6 Endocrine disrupting properties None of the ingredients are listed.
- 12.7 Other adverse effects Data are not available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
 - Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be re-cycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

15 01 04 Metallic packaging 15 01 10 Packaging containing residues of or contaminated by dangerous substances 16 05 04 Containing hazardous gases in pressure containers (including halons)

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Versio Revisio	n number: 5.0 on: 2022-11-29	Date of compilation: 2015-03-19
SECT	FION 14: Transport information	
14.1	UN number or ID number ADR/RID/ADN	UN
	IMDG-Code	1950 UN
	ICAO-TI	1950 UN
14.2	UN proper shipping name	1950
	ADR/RID/ADN IMDG-Code	AEROSOLS AEROSOLS
	ICAO-TI	Aerosols, flammable
14.3	Transport hazard class(es)	
	ADR/RID/ADN	2 (2.1)
	IMDG-Code	2.1
14.4	ICAO-TI Packing group	2.1 Not assigned
14.5	Environmental hazards	Non-environmentally hazardous acc. to the dangerous goods regu-
14.6	Special precautions for user	lations
11.0	Provisions for dangerous goods (ADR) should be complied within the	e premises.
14.7	Maritime transport in bulk according to IMO instruments	
	The cargo is not intended to be carried in bulk.	
	Information for each of the UN Model Regulations	
	Transport of dangerous goods by road, rail and inland waterway (AD Classification code	R/RID/ADN)Additional information 5F
	Danger label(s)	2.1
	Special provisions (SP)	190, 327, 344, 625
	Excepted quantities (EQ)	EO
	Limited quantities (LQ) Transport category (TC)	1 L 2
	Tunnel restriction code (TRC)	D
	International Maritime Dangerous Goods Code (IMDG)Additional info	ormation
	Marine pollutant	-
	Danger label(s)	2.1
	Special provisions (SP)	63, 190, 277, 327, 344, 381, 959
	Excepted quantities (EQ)	EO
	Limited quantities (LQ) EmS	1 L F-D, S-U
	Stowage category	
	International Civil Aviation Organization (ICAO-IATA/DGR)Additional Danger label(s)	information 2.1
	Special provisions (SP)	A145, A167
	Excepted quantities (EQ)	E0
	Limited quantities (LQ)	30 kg

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0 Revision: 2022-11-29

Date of compilation: 2015-03-19

ION 15: Regulatory information	L					
Safety, health and environmental reg Relevant provisions of the European Restrictions according to REACH, Ar none of the ingredients are listed List of substances subject to authoris none of the ingredients are listed Directive 75/324/EEC relating to aero	Union (EU) inex XVII ation (REACH, An					
Classification of the gas/aerosol	Extrer	nely flammable	Э			
Labelling	from h not pi	eat, hot surfac	es, sparks, op	ssurized container: r pen flames and othe Protect from sunlig	er ignition sources. N	lo smoking. I
Additional information Industrial Emissions Directive (IED)	-					
VOC content			77.49 %			
Directive on the restriction of the use	of certain hazardo	us substances	in electrical a	and electronic equip	ment (RoHS)	
none of the ingredients are listed						
Regulation concerning the establishing	nent of a Europear	Pollutant Rele	ease and Tran	isfer Register (PRTF	R)	
none of the ingredients are listed						
Water Framework Directive (WFD)						
none of the ingredients are listed Regulation 648/2004/EC on deterger	ate .					
Labelling of contents.	113					
Aliphatic hydrocarbons.				30 % and m	ore	
Regulation on persistent organic poll	utants (POP)					
None of the ingredients are listed.						
National regulations (Germany)						
Ordinance on systems for handling w to water)(AwSV)	ater-polluting subs	tances (Ordina	ance on faciliti	es for handling sub	stances hazardous	
Water hazard class	2 (ob	viously hazard	ous to water)			
Technical instructions on air quality of	ontrol (Germany)					

Number	Group of substances	Class	Conc.	Mass flow	Mass con- centration	Notation
5.2.5 Organic substances			≥ 25 wt%	0.5 ^{kg/} h	50 ^{mg/} m³	3)

Notation

A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter) 3)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK)

2 B (Aerosol dispensers and lighters)

National inventories

Country	Inventory	Status
EU	REACH Reg.	Not all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0

Date of compilation: 2015-03-19

Revision: 2022-11-29

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Alignment to regulation. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14 Einfügung: UFI: 949D-U5H0-3000-PCHR

16.2 Abbreviations and acronyms

ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways).
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the Interna- tional Carriage of Dangerous Goods by Road).
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ ADN).
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard.
Asp. Tox.	Aspiration hazard.
ATE	Acute Toxicity Estimate.
BCF	Bioconcentration factor.
BOD	Biochemical Oxygen Demand.
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
COD	Chemical oxygen demand.
DGR	Dangerous Goods Regulations (see IATA/DGR).
DMEL	Derived Minimal Effect Level.
DNEL	Derived No-Effect Level.
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 %
	changes in response (e.g. on growth) during a specified time interval.
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of
	substances commercially available within the EU (European Union).
EINECS	European Inventory of Existing Commercial Chemical Substances.
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test
	organisms.
ELINCS	European List of Notified Chemical Substances.
EmS	Emergency Schedule.
Flam. Gas	Flammable gas.
Flam. Liq.	Flammable liquid.
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.
IATA IATA/DGR	International Air Transport Association.
ICAO	Dangerous Goods Regulations (DGR) for the air transport (IATA). International Civil Aviation Organization.
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air.
IMDG	International Maritime Dangerous Goods Code.
IMDG-Code	International Maritime Dangerous Goods Code.
LGK	Lagerklasse (storage class according to TRGS 510, Germany).
Log KOW	n-Octanol/water.
NLP	No-Longer Polymer.
PBT	Persistent, Bioaccumulative and Toxic.
PNEC	Predicted No-Effect Concentration.
Press. Gas	Gas under pressure.
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals.
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning
	the International carriage of Dangerous goods by Rail).
STOT SE	Specific target organ toxicity - single exposure.
SVHC	Substance of Very High Concern.
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).
VOC	Volatile Organic Compounds.
VPvB	Very Persistent and very Bioaccumulative.

16.3 Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

16.4 Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

OPN-Super Multi Spray OP 50 PLUS - with PTFE

Version number: 5.0 Revision: 2022-11-29

Date of compilation: 2015-03-19

16.5	List of releva	nt phrases (code and full text as stated in section 2 and 3)
	H220	Extremely flammable gas.
	H222	Extremely flammable aerosol.
	H225	Highly flammable liquid and vapour.
	H229	Pressurised container: May burst if heated.
	H280	Contains gas under pressure; may explode if heated.
	H304	May be fatal if swallowed and enters airways.
	H336	May cause drowsiness or dizziness.
	H411	Toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.