

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

Weld Separating Agents

OPN-UF 1000® Weld Separating Spray - silicon-free -, solvent-free, water-free, highly concentrated, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60030**

OPN-UF 2000® Weld Separating Spray - silicon-free -, FIRE-PROOF Agent based on Aqueous emulsion - FIRE-PROOF Propellant, filled in Aluminium Mono Bloc Cans
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60043**

OPN-Ceramic Welding Separating and Protection Spray, based on a dry ceramic protection coating, silicone free, long-term protection against weld spatter, to be used at MIG/MAG welding and spot welding. When used for plasma and laser cutting, always observe the guidelines of the equipment manufacturer!
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60200**

OPN-UF 2001® Welding Emulsion MILKY - silicon-free -, milky-white ready for use **Base: Aqueous emulsion** in 20 liters Disposable Canister - with integrated run-out plug -, **Art.-No. 65110**

OPN-UF 2001® Welding Emulsion MILKY, as above but in 10 liters Disposable Canister, **Art.-No. 65107**

OPN-UF 2001® Weld Separating Agent CLEAR - silicon-free -, ready for use **Base: Aqueous emulsion** in 20 liters Disposable Canister - with integrated run-out plug -, **Art.-No. 65153**

OPN-UF 2001® Weld Separating Agent CLEAR, as above but in 10 liters Disposable Canister, **Art.-No. 65157**

OPN-SF 20® Separating Oil Concentrate - silicon-free -, solvent-free, highly concentrated, **dilutable with water 1:5 to 1:10** for individual concentration, for inert gas- and electro welding or undiluted as **robot separating oil**, in 10 liters Disposable Canister, **Art.-No. 65270**

OPN-Special Separating Oil for Welding Robots, "Anti-spatter Protection Agent", silicone-and solvent-free, **ready for use concentrate**, prevents adhesion of weld spatters in gas jets
in 5 liters and 20 liters Disposable Canister, 200 liters Disposable Barrel, **Article No. 65416, 65417, 65418**

OPN-Special Coolant for the welding technology, colorless - with freeze protection up to -10°C to use universally for all liquid-cooled welding and cutting equipment
in 5 liters, 10 liters and 20 liters Disposable Canister, 200 liters Disposable Barrel,
Article No. 61096, 61099, 61097, 61098

OPN-Anti Spatter Grease, silicon-free spray grease in patent-cap cans
Content: 300 g, Packing Unit: 12 Cans/Carton, **Art.-No. 65010**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

Plastic Separating Agents

OPN-Mold Release Spray for Plastic Processing, thermo- and duroplast, silicon-free, wax-free, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 60230

OPN-Separating Spray - contains silicon -, for plastic processing - highly concentrated, use only if parts aren't re-treated, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 60300

Lubricants

OPN-PTFE-Spray, dry & fat-free separating, lubricating and sliding agent, temperature-resistant, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 61450

**OPN-Long-Term Adhesive Lubricant Spray, partly synthetic extreme lubricant, colour: light, centrifuge-resistant, ductile adhesive, penetrable, waterproof
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 61310**

**OPN-Long-Term Adhesive Lubricant Spray with PTFE, partly synthetic basis, colour: light, extreme adhesion, high lubricating effect because of PTFE, silicon-free
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 61315**

OPN-Chain- and Rope Spray for maintenance of chains, ropes, slide bearings, strong adhesive, centrifuge-resistant. 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 61250

**OPN-Lubricating Metal Assembly Spray Alu Paste - ANTI-SEIZE -, High-temperature lubricant from approx. -30°C to approx. +1.000°C, prevents burning to ashes, corrosion, abrasion
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 61501**

**OPN-Lubricating Metal Assembly Paste Anti-Seize - ALU BASE -, application temperature ranges: As separating agent approx. -20°C to approx. +1.200°C, as lubricant approx. -20°C to approx. +240°C
in 500 g Brush Can, Packing Unit: 9 Cans/Carton, Art.-No. 66075**

**OPN-Ceramic Paste Spray, white, High-temperature lubricant from approx. -20°C to approx. +1.400°C prevents burning to ashes, corrosion, abrasion
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 61520**

**OPN-Ceramic Paste, application temperature ranges: As separating agent approx. -20°C to approx. +1.400°C, as lubricant approx. -20°C to approx. +240°C
in 500 g Brush Can, Packing Unit: 9 Cans/Carton, Art.-No. 66077**

**OPN-Copper Paste Spray, High-temperature lubricant from approx. -30°C to approx. +1.100°C, prevents burning to ashes, corrosion, abrasion
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, Art.-No. 61510**

**OPN-Copper-Paste, application temperature ranges: As separating agent approx. -25°C to approx. +1.200°C, as lubricant approx. -25°C to approx. +240°C
in 500 g Brush Can, Packing Unit: 12 Cans/Carton, Art.-No. 66076**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-Spray Grease white, silicon-free, light all-round grease
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61470**

OPN-Spray Grease with PTFE for long-term grease spots, very good adhesion, prevents corrosion, reduces abrasion, greases hinges, bearings, chains, ropes, rolls etc.
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61425**

OPN-Universal Adhesive Grease, white, strong adhesive, versatile use
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61300**

OPN-Food Adhesive Grease Spray white, NSF-registered, H1, for use in the food industry
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61330**

OPN-Silicone Spray S, grease-free lubricant, separating and lubricating agent
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans, **Art.-No. 60300**

OPN-Silicone Spray P, Solvent-free, grease-free lubricant, separating and lubricating agent
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans, **Art.-No. 60306**

OPN-Silicone Spray H1, NSF-registered, for use in the food industry
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60316**

OPN-Food Lubricating Oil Spray and Stainless Steel Care Oil Spray H1, NSF-registered, for maintenance and care of machines and equipment in the food sector, * cares * smears * removes rust * protects contacts *, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61654**

OPN-Silicone GREASE Spray, comes fluid out of the can – thickens slightly after exhausting the air from around the product des loosening agents an, **long-term lubricant, highly concentrated**, can be used wherever conventional greases do not support sufficient lubricating effect, water displacement and long-term grease effects, usable for metal, rubber, plastics etc., temperature-resistant from **approx. -30°C to approx. +240°C**
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60355**

OPN-Cutting Oil Spray, without aggressive additives, for drilling, thread cutting, broaching etc. for steel, stainless steel, non-ferrous metal
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60605**

OPN-Cutting Oil, as above, but in 5 liters Disposable Canister, **Art.-No. 60635**

OPN-Foam Cut Spray, **extreme strong adherence quality**, foaming, extreme strong adhering high performance cutting oil with additives - therefore directed, economical and rational to process
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60615**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-High-Performance Cooling Lubricant, for forced-air cooling of saws and thread cutting machinery, produces a milky emulsion if diluted with Water, in 5 liters Disposable Canister, **Art.-No. 58140**

OPN-High-Performance Cooling Lubricant, as above, in 10 liters Disposable Canister, **Art.-No. 58141**

OPN-High-Performance Cooling Lubricant, as above, in 20 liters Disposable Canister, **Art.-No. 58142**

OPN-High-Performance Cooling Lubricant, as above, in 30 liters Disposable Canister, **Art.-No. 58143**

OPN-High-Performance Cooling Lubricant, as above, in 188 liters one-way-bulks, **Art.-No. 58144**

Corrosion Protection-Products and Rust Remover

OPN-Long-Term Corrosion Protection transparent, ductile adhesive, wax-like film, protects all steel- and metal parts, tools- and form conserver, **highly penetrable, displaces moisture**
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63440**

OPN-Maintenance Oil Spray, Multi-Spray for care and maintenance of equipment and machinery * maintains * lubricates * loosens rust * protects *
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61650**

OPN-Maintenance Oil, as above, in 5 liters Disposable Canister, **Art.-No. 61660**

OPN-Stainless Steel Care Oil Spray, Solvent-free, removes contaminations, protects and gives long-lasting shine,
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63235**

OPN-Stainless Steel Care Oil, as above, in 5 liters Disposable Canister, **Art.-No. 63270**

OPN Stainless Steel Care Oil Spray Oil H1, NSF registered, maintains and protects stainless steel parts in the food and beverage industry, **see Page 3, Position 8 OPN-Food Tech Lubricating Oil Spray, Art.-No. 61654**,
400 ml Content, 520 ml Cans Volume, Packing Unit: 12 Cans/Carton

OPN-Stainless Steel Quick Polishing Spray, cleans and cares, protects all stainless steel surfaces in one step
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63236**

OPN-Contact Spray - CLEAR -, displaces moisture, dries contacts, removes ignition problems, removes and protects from oxidation
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60456**

OPN-Super Multi Spray OP 50 S - Multi Purpose Spray = Penetrating oil, contact spray, rapid rust remover, corrosion protection, lubricant, „cleans - cares - protects“
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60400**

OPN-Super Multi Spray OP 50 PLUS - with PTFE - High-performances-multi purpose spray with long-term effect = penetrating oil, contact spray, rapid rust remover, corrosion protection, lubricant
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60406**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-Rust Remover MOS 2, removes strongest rust compounds, tar spots and other contaminations, deresinifies, prevents squeaking and creaking
300 ml Content, 405 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60501**

OPN-Rust Remover MOS 2, removes strongest rust compounds, tar spots and other contaminations, deresinifies, prevents squeaking and creaking
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60511**

OPN-Rust Remover MOS 2, as above, in 5 liters Disposable Canister, **Art.-No. 66350**

OPN-Rust Remover - CLEAR -, removes strongest rust compounds, undermines moisture, prevents squeaking and creaking, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60439**

OPN Rust-Shock®, the "chemical wrench" with double effect - due to "cold shock" and the associated material shrinkage as well as rapid penetration of high-performance oils all problems with rusted screw and plug connections are fast dissolved
500 ml Content, 650 ml Can Volume, Packaging Unit: 12 Cans/Carton, **Art.-No. 60555**

OPN-Aluminium Spray Shiny Metallic - MIRROR FINISH -, high temperature resistance
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63010**

OPN-Aluminium Spray - HIGH ABRASION RESISTANT - matt - shiny metallic
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63020**

OPN-Chrome-Gloss Spray, chrome shine effect for metal surfaces
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63201**

OPN-Zinc Spray - Zinc Gray - ZINC PRIMER - extreme high corrosion protection.
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63110**

OPN-Zinc Spray, zinc-like-bright
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63100**

OPN-Zinc Repair Spray - bright silver -, colour similar new galvanizing
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63120**

OPN-Zinc Repair Spray T Y P E II, silver-bright, matt-abrasion-resistant
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63122**

OPN-Zinc Repair Paint, as above, in 1 liter tin plate cans,
Packing Unit: 6 Cans/Carton, **Art.-No. 68250**

OPN-Stainless Steel Repair Spray, high temperature resistance, abrasion-resistant, quick-drying,
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63200**

OPN-Brass Spray, abrasion-resistant, fast-drying
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63220**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-Copper Spray, abrasion-resistant, quick drying
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63210**

OPN-Long Term Primer „Rust-Stop“ auburn, reliable anti corrosion primer
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66410**

OPN-Long Term Primer „Rust-Stop“ auburn, as above,
in 2,5 liter tinplate patent lidded cans, Packing Unit: 6 Cans/Carton, **Art.-No. 66416**

OPN-Long Term Primer „Rust-Stop“ grey, reliable anti corrosion primer
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66420**

OPN Rust Converter, rust stabilization and reliable corrosion protection for all iron and steel parts, stops rust even in the initial phase and makes it inactive, forms a black reaction layer below which no further corrosion takes place, the dried protective film is scratch-resistant and doesn't flake off also after years, **non-toxic**, indoor and outdoor use, **free of heavy metals and very economical in use**
Content: 1 liter, 5 liters, 10 liters, **Art.-No. 66403, 66401, 66407**

OPN-Underbody Coating black, for the motor vehicle-sector, - **bitumen-free** -, over varnishable, quick-drying, permanently elastic, salt- and splash water resistant
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66435**

OPN-Cavity Sealing light, for the MOTOR VEHICLE-Sector, Long-term Corrosion Protection, salt- and splash water resistant
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 66478**

OPN-Clear Coat Spray, flexible protection coating, prevents from atmospheric exposures, moisture etc.,
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63430**

Cleaner and Degreaser

OPN-Spray Cleaner = Degreaser, Rapid Cleaner, 97% Agent
High-Performance Product - **very strong cleaning- and loosening effect - contains acetone**
- **smallest quantities achieve the desired effect**
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60700**

OPN-Brake Cleaner Spray - cleans brake- and clutch parts - 97% active substance
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60707**

OPN-Degreaser-Spray – degreases and cleans in one step metals, glas, ceramics, etc. - 97% active substance
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60746**

OPN-Oil Stain Remover, removes easily and quickly stubborn stains from **solid lubricants and motor oil, gear oil, heating oil, diesel fuel, etc., of concrete, interlocking stone, etc.**
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.No. 60695**

OPN-Carburetor Cleaner Spray, for cleaning of 2- and 4-stroke engines
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60772**

Page - 6 -

OPN-CHEMIE GmbH, In der Au 14, D-57278 Neunkirchen/Germany
Phone: +49 (0) 2735/7725-0 **Fax: +49 (0) 2735/7725-90**
Internet: www.opn-chemie.com **e-Mail: info@opn-chemie.de**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-Industrial Cleaner Spray, highly concentrated cleaner for industry and trade - removes adhesive residues, grease, oil, etc.

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60481**

OPN-Citrus-Cleaner – contains natural orange terpenes - fresh smell

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60490**

OPN-Universal Foam Cleaner, Citrus scent, removes oil, grease, silicon etc. from stainless steel, plastics, glass etc.

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60800**

OPN-Shine-Cleaning Spray, cleans and protects in one operation chrome, stainless steel, aluminium, etc., high-quality hard waxes provide a long-lasting shine

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61715**

OPN-Cockpit Care Spray, silicon-free, with citrus fragrance

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61030**

OPN-Car Care Spray Foam, * tire, * rim, * cockpit, * rubber care
4 car care maintenance products in ONE

500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60861**

OPN-Compressed Air Spray, removes dust and dirt from photo/optic equipment, keyboards, modelling etc., „HIGHLY FLAMMABLE“, 400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64503**

OPN-Adhesive and Sealant Remover, EXTRA STRONG, dissolves adhesives, sealings and sealant residues, coatings and paints, resins, solid burnt oil, grease, tar, oil, coal residues, etc., and allows removal

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60751**

OPN-Pickling Spray, dissolves paints and coatings from steel, aluminum, wood, etc.

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60749**

OPN-Anti-Graffiti Spray - for concrete - removes most paints and coatings from concrete surfaces and smooth stone, glass, ceramics, steel, etc.

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60705**

OPN-Anti-Graffiti Spray - especially for signs - cleans contaminated traffic- and mandatory signs,

500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60701**

OPN-PU Foam Cleaner, with special screw ring and additional spray nozzle - to process and w i t h and w i t h o u t gun, 500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 60730**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-Orange Oil cleaner, universal product for all cleaning areas, removes grease, stains, odors and more based on pure, ethereal orange and citrus oils, bottled in 500 ml bottles
Packing Unit: 20 Cans/Carton, **Art.-No. 69450**

OPN-Orange Oil cleaner, as above, bottled in 1 liter bottles, Packing Unit: 12 Cans/Carton, **Art.-No. 69451**

OPN-Cold Cleaner, removes oil, grease, tar, wax etc., emulsifies with water
in 25 liters Disposable Canister, **Art.-No. 16027**

OPN-Cold Cleaner, as above in 10 liters Disposable Canister, **Art.-No. 16021**

OPN-High Pressure Cleaner Concentrate, dilutable with water 1:5 to 1:10
in 25 liters Disposable Canister, **Art.-No. 16143**

OPN-High Pressure Cleaner Concentrate, as above in 10 liters Disposable Canister, **Art.-No. 16140**

OPN-Industrial and Universal Cleaner Concentrate, removes strongest contaminations,
1:5 to 1:20 dilutable with water, in 10 liters Disposable Canister, **Art.-No. 16121**

OPN-Industrial and Universal Cleaner Concentrate, as above
in 25 liters Disposable Canister, **Art.-No. 16132**

OPN-Machine Cleaner Concentrate, removes oil, grease etc., dilutable with water 1:10 to 1:50
in 10 liters Disposable Canister, **Art.-No. 16061**

OPN-Machine Cleaner Concentrate, as above in 25 liters Disposable Canister, **Art.-No. 16064**

OPN-Neutral Cleaning Concentrate, for glass, tiles etc., removes oil, grease etc.,
dilutable with water, in 10 liters Disposable Canister, **Art.-No. 16105**

OPN-Neutral Cleaner Concentrate, for glass, tiles, plastic etc., versatile cleaner,
dilutable with water, no duty of labelling, in 10 liters Disposable Canister, **Art.-No. 16115**

OPN-Car-Shampoo Concentrate - WASH-ME!, with apple scent, suitable for all types of varnish, high
cleaning power with varnish shine effect, dilute 100 ml to 10 liters of water depending on the contamination,
bottled in 1 liter bottles, Packing Unit: 20 Cans/Carton, **Art.-No. 16392**

OPN-Car-Shampoo Concentrate - WASH-ME!, with apple scent, as above in 10 liters Disposable Canister,
Art.-No. 16390

OPN-CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

Other Products - Miscellaneous

OPN-Construction Marking Spray - sprayable overhead * 500 ml Content *** , 650 ml Can Volume**

Packing Unit: 12 Cans/Carton

Art.-No. 63557 - Color	orange	
Art.-No. 63558 - Color	blue	
Art.-No. 63559 - Color	green	
Art.-No. 63560 - Color	red	
Art.-No. 63561 - Color	black	
Art.-No. 63562 - Color	white	
Art.-No. 63563 - Color	yellow	
Art.-No. 63550 - Color	luminous <u>yellow</u>	(„signal day-glow color“)
Art.-No. 63551 - Color	luminous <u>red</u>	(„signal day-glow color“)
Art.-No. 63552 - Color	luminous <u>red-orange</u>	(„signal day-glow color“)
Art.-No. 63553 - Color	luminous <u>orange</u>	(„signal day-glow color“)
Art.-No. 63554 - Color	luminous <u>green</u>	(„signal day-glow color“)
Art.-No. 63555 - Color	luminous <u>pink</u>	(„signal day-glow color“)
Art.-No. 63556 - Color	luminous <u>blue</u>	(„signal day-glow color“)
Art.-No. 63564 - Color	luminous <u>yellow-orange</u>	(„signal day-glow color“)

OPN-Universal Marking Spray

360°-Special Valve - sprayable in all positions - For use in forestry, woodworking industry and civil engineering, metalworking industry, etc. *** 500 ml Content *** , 650 ml Cans Volume

Packing Unit: 12 Cans/Carton

Art.-No. 63507 - Color	orange	
Art.-No. 63508 - Color	blue	
Art.-No. 63509 - Color	yellow	
Art.-No. 63511 - Color	green	
Art.-No. 63512 - Color	red	
Art.-No. 63513 - Color	black	
Art.-No. 63514 - Color	white	
Art.-No. 63500 - Color	luminous <u>yellow</u>	(„signal day-glow color“)
Art.-No. 63501 - Color	luminous <u>red</u>	(„signal day-glow color“)
Art.-No. 63502 - Color	luminous <u>red-orange</u>	(„signal day-glow color“)
Art.-No. 63503 - Color	luminous <u>orange</u>	(„signal day-glow color“)
Art.-No. 63504 - Color	luminous <u>green</u>	(„signal day-glow color“)
Art.-No. 63505 - Color	luminous <u>pink</u>	(„signal day-glow color“)
Art.-No. 63506 - Color	luminous <u>blue</u>	(„signal day-glow color“)
Art.-No. 63510 - Color	luminous <u>yellow-orange</u>	(„signal day-glow color“)

OPN-Acrylic-Based Spray Paint in 142 different RAL colors - very high quality, abrasion resistant and highly pigmented - very good colour matching, not gasoline resistant, quick drying and exterior painting is guaranteed.

400 ml Content, 520 ml Can Volume, Packing Unit: 6 Cans/Carton, Art.-No. 63435

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN Signing Spray, for fast and clean signing works

400 ml Content, 520 ml Cans Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63690**

Art.-Nr. 63690 - color <u>luminous red-orange</u>	(„signal day-glow color“)
Art.-Nr. 63691 - color <u>luminous orange</u>	(„signal day-glow color“)
Art.-Nr. 63692 - color <u>luminous yellow-orange</u>	(„signal day-glow color“)
Art.-Nr. 63693 - color <u>luminous yellow</u>	(„signal day-glow color“)
Art.-Nr. 63694 - color <u>luminous red</u>	(„signal day-glow color“)
Art.-Nr. 63695 - color <u>luminous green</u>	(„signal day-glow color“)
Art.-Nr. 63696 - color <u>luminous blue</u>	(„signal day-glow color“)
Art.-Nr. 63697 - color <u>luminous purple</u>	(„signal day-glow color“)
Art.-Nr. 63698 - color <u>luminous pink</u>	(„signal day-glow color“)
Art.-Nr. 63700 - color <u>yellow</u>	
Art.-Nr. 63701 - color <u>black</u>	
Art.-Nr. 63702 - color <u>brown</u>	
Art.-Nr. 63703 - color <u>orange</u>	
Art.-Nr. 63704 - color <u>blue</u>	
Art.-Nr. 63705 - color <u>green</u>	
Art.-Nr. 63706 - color <u>white</u>	
Art.-Nr. 63707 - color <u>red</u>	
Art.-Nr. 63708 - color <u>light blue</u>	

OPN-Extinguishing spray - to remove - which means cover - invalid or incorrect labels on cardboard boxes and other packaging - **Color:** Beige, 400 ml Content, 520 ml Cans Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 63710**

OPN-Leak Detector Spray for detecting leaky spots on gas- and compressed air pipes
400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 62010**

OPN-Leak Detector, as above, ready to use in 5 liters Disposable Canister, **Art.-No. 66012**

OPN-Leak Detector, as above, ready to use in 25 liters Disposable Canister, **Art.-No. 66011**

OPN-Leak Detector Spray, DIN-DVGW-Reg.-No. NG-5170BR5843, for locating leaks in gas and compressed air lines, 400 ml Content, 650 ml Cans Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 62021**

OPN-Leak Detector Spray, cold resistant up to -15°C, for detecting leaks on gas- and compressed air lines, 400 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 62031**

OPN-Crack Testing Agent, red dye penetrant, for non-destructive material testing
tested according to DIN EN ISO 3452-2
500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64100**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-Developer white, for non-destructive material testing

tested according to DIN EN ISO 3452-2

500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64050**

OPN-Special Cleaner, for removing the leak detection agent

tested according to DIN EN ISO 3452-2

500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 64215**

OPN-Antistatic Spray, with citrus fragrance, for prevention and removal of electrostatic charge

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61100**

OPN-Shoe Deodorant Spray, fresh smell for feet and shoes,

500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61956**

OPN-Start Up Spray, for problem-free engine starting

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61055**

OPN-De-Icer Spray, for car screens

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61170**

OPN-Cooling Spray, cooling effect down to **approx. -45°C**, fit-up aid - shrinks metal parts, rapid recognition of thermal failures, „**HIGHLY FLAMMABLE**“

400 ml Content, 520 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 61011**

OPN-Power Spray Glue - universally usable - contact- and montage glue for paper,

cardboard, polystyrene, felt, metal, many plastics and foams, wood, textile canvas, insulating mats etc.,

very high glue power, adjustable special spray nozzle – because of that economical and exactly doseable

500 ml Content, 650 ml Can Volume, Packing Unit: 12 Cans/Carton, **Art.-No. 48580**

OPN-Spray Handle "Pistol Grip Pro", turns any spray can into a spray pistol, which affords the effortless spraying of large areas. **Art.-No. 69005**

OPN-Manual Pump Sprayer, 0,5 liter filling volume, **Art.-No. 69050**

OPN-Atomiser, 500 ml filling volume, **active substance container made of tinfoil** with fine atomising spray attachment, specialy developed for OPN UF 2001® Welding Emulsion MILKY and OPN UF 2001® Weld Separating Agent CLEAR, **Art.-No. 69001**

OPN-Aluminum-Air Sprayer, aluminum case, fillable with max 0,5 liter, compl. with 2 spray heads, for filling over tire inflator, **DO NOT FILL with aggressive, alkaline and acidic fluids.**

(Filler Neck Art. No. 69096 = Adapter for compressed air lines at extra charge), **Art.-No. 69075**

Filler Neck for Art.-No. 69075 - allows pressure buildup via compressed air lines, **Art.-No. 69096**

OPN-Drain Tap for 5 liters Canister, **Art.-No. 59153**

OPN-Drain Tap for 10 liters Canister, **Art.-No. 59151**

OPN – CHEMIE

Top Quality at Fair Market Prices

Delivery Overview - Production Range 01.22

Products which could also be delivered in smaller quantities from stock
Special Filling on Demand

OPN-Drain Tap for 20 liters and 30 liters Canister, Art.-No. 59150

At the following products we have to reduce our warranty to max. 12 months:

OPN-Pickling Spray, Art.-No. 60749

OPN-Anti Graffiti Spray for concrete, Art.-No. 60705

OPN-Industrial Cleaner, Art.-No. 60481

OPN-Adhesive and Sealant Remover, Art.-No. 60751

OPN-Power Spray Glue, Art.-No. 48580

OPN-Citrus Cleaner, Art.-No. 60490

OPN-Rust Converter, Art.-No. 66403 + 66401 + 66407

OPN-High-Performance Cooling Lubricant, Art.-No. 58140 + 58141 + 58142 + 58143 + 58144

At the following products we have to reduce our warranty to max. 6 months:

OPN-Zinc Repair Paint, Art.-No. 68250

OPN-Long Term Primer "Rust Stop" auburn, Art.-No. 66416

***For all other products the warranty is 24 months
- proper storage and handling provided -***

The products manufactured by us are only intended for professional use!

UF 1000®, UF 2000®, UF 3000®, UF 2001®, SF 20®, OPN Rust-Shock® as well as
OPN-CHEMIE® and the OPN-CHEMIE company logo are registered and internationally
protected word marks and trademarks of OPN-CHEMIE GmbH,
D-57290 Neunkirchen-Siegerland, GERMANY